

Publications for Madeleine Beekman

2018

Beekman, M., Oldroyd, B. (2018). Different bees, different needs: how nest-site requirements have shaped the decision-making processes in homeless honeybees (*Apis* spp.). *Philosophical Transactions of the Royal Society B*, 373(1746), 1-9. [More Information]

Gao, C., Schenz, D., Li, X., Zhang, Z., Jusup, M., Wang, Z., Beekman, M., Nakagaki, T. (2018). Does being multi-headed make you better at solving problems? A survey of Physarum-based models and computations. *Physics of Life Reviews*, , 1-26. [More Information]

2017

Remnant, E., Shi, M., Buchmann, G., Blacquiere, T., Holmes, E., Beekman, M., Ashe, A. (2017). A Diverse Range of Novel RNA Viruses in Geographically Distinct Honey Bee Populations. *Journal of Virology*, 91(16), e00158-17. [More Information]

Gloag, R., Ding, G., Christie, J., Buchmann, G., Beekman, M., Oldroyd, B. (2017). An invasive social insect overcomes genetic load at the sex locus. *Nature Ecology and Evolution*, 1(1), 1-6. [More Information]

Latty, T., Holmes, M., Makinson, J., Beekman, M. (2017). Argentine ants (*Linepithema humile*) use adaptable transportation networks to track changes in resource quality. *Journal of Experimental Biology*, 220, 686-694. [More Information]

Makinson, J., Schaerf, T., Wagner, N., Oldroyd, B., Beekman, M. (2017). Collective decision making in the red dwarf honeybee *Apis florea*: do the bees simply follow the flowers? *Insectes Sociaux*, 64(4), 557-566. [More Information]

Cole-Clark, M., Barton, D., Allsopp, M., Beekman, M., Gloag, R., Wössler, T., Ronai, I., Smith, N., Reid, R., Oldroyd, B. (2017). Cytogenetic basis of thelytoky in *Apis mellifera capensis*. *Apidologie*, 48(5), 623-634. [More Information]

Beekman, M., Jordan, A. (2017). Does the field of animal personality provide any new insights for behavioral ecology? *Behavioral Ecology*, 28(3), 617-623. [More Information]

Smith, J., Heard, T., Beekman, M., Gloag, R. (2017). Flight range of the Australian stingless bee *Tetragonula carbonaria* (Hymenoptera: Apidae). *Austral Entomology*, 56(1), 50-53. [More Information]

Smith-Ferguson, J., Reid, C., Latty, T., Beekman, M. (2017). Hansel, Gretel and the slime mould - how an external spatial memory aids navigation in complex environments. *Journal of Physics D: Applied Physics*, 50(41), 1-11. [More

Information]

Gloag, R., Tan, K., Wang, Y., Song, W., Luo, W., Buchmann, G., Beekman, M., Oldroyd, B. (2017). No evidence of queen thelytoky following interspecific crosses of the honey bees *Apis cerana* and *Apis mellifera*. *Insectes Sociaux*, 64, 241-246. [More Information]

Reid, R., Remnant, E., Allsopp, M., Beekman, M., Oldroyd, B. (2017). Paternal effects on *Apis mellifera capensis* worker ovary size. *Apidologie*, 48(5), 660-665. [More Information]

Beekman, M., Christie, J. (2017). Selective sweeps of mitochondrial DNA can drive the evolution of uniparental inheritance. *Evolution*, 71(8), 2090-2099. [More Information]

Beekman, M., Jordan, A. (2017). The Emperor has no clothes: a response to comments on Beekman and Jordan. *Behavioral Ecology*, 28(3), 630-631. [More Information]

Stephens, R., Beekman, M., Gloag, R. (2017). The upside of recognition error? Artificially aggregated colonies of the stingless bee *Tetragonula carbonaria* tolerate high rates of worker drift. *Biological Journal of the Linnean Society*, 121(2), 258-266. [More Information]

Christie, J., Beekman, M. (2017). Uniparental inheritance promotes adaptive evolution in cytoplasmic genomes. *Molecular Biology and Evolution*, 34(3), 677-691. [More Information]

Holmes, M., Beekman, M. (2017). When does cheating pay? Worker reproductive parasitism in honeybees. *Insectes Sociaux*, 64(1), 5-17. [More Information]

2016

Gloag, R., Ding, G., Christie, J., Buchmann, G., Beekman, M., Oldroyd, B. (2016). An invasive social insect overcomes genetic load at the sex locus. *Nature Ecology and Evolution*, 1, 1-6. [More Information]

Schurch, R., Couvillon, M., Beekman, M. (2016). *Ballroom Biology: Recent Insights into Honey Bee Waggle Dance Communications*. Lausanne: Frontiers. [More Information]

Beekman, M., Preece, K., Schaerf, T. (2016). Dancing for their supper: Do honeybees adjust their recruitment dance in response to the protein content of pollen? *Insectes Sociaux*, 63(1), 117-126. [More Information]

Beekman, M., Makinson, J., Couvillon, M., Preece, K., Schaerf, T. (2016). Honeybee linguistics - a comparative analysis of the

waggle dance among species of *Apis*. In Roger Schurch, Margaret J Couvillon, Madeleine Beekman (Eds.), *Ballroom Biology: Recent Insights into Honey Bee Waggle Dance Communications*, (pp. 43-53). Lausanne: Frontiers. [More Information]

Makinson, J., Schaerf, T., Rattanawanee, A., Oldroyd, B., Beekman, M. (2016). How does a swarm of the giant Asian honeybee *Apis dorsata* reach consensus? A study of the individual behaviour of scout bees. *Insectes Sociaux*, 63(3), 395-406. [More Information]

Remnant, E., Ashe, A., Young, P., Buchmann, G., Beekman, M., Allsopp, M., Suter, C., Drewell, R., Oldroyd, B. (2016). Parent-of-origin effects on genome-wide DNA methylation in the Cape honey bee (*Apis mellifera capensis*) may be confounded by allele-specific methylation. *BMC Genomics*, 17(1), 1-14. [More Information]

Beekman, M., Nieuwenhuis, B., Ortiz-Barrientos, D., Evans, J. (2016). Sexual selection in hermaphrodites, sperm and broadcast spawners, plants and fungi. *Philosophical Transactions of the Royal Society B*, 371(1706), 1-13. [More Information]

Aanen, D., Beekman, M., Kokko, H. (2016). Weird sex: the underappreciated diversity of sexual reproduction. *Proceedings of the Royal Society B: Biological Sciences*, 371(1706), 1-4. [More Information]

2015

Cabanes, G., van Wilgenburg, E., Beekman, M., Latty, T. (2015). Ants build transportation networks that optimize cost and efficiency at the expense of robustness. *Behavioral Ecology*, 26(1), 223-231. [More Information]

Beekman, M., Latty, T. (2015). Brainless but Multi-Headed: Decision Making by the Acellular Slime Mould *Physarum polycephalum*. *Journal of Molecular Biology*, 427(23), 3734-3743. [More Information]

Holmes, M., Tan, K., Wang, Z., Oldroyd, B., Beekman, M. (2015). Genetic reincarnation of workers as queens in the Eastern honeybee *Apis cerana*. *Heredity*, 114, 65-68. [More Information]

Beekman, M., Makinson, J., Couvillon, M., Preece, K., Schaerf, T. (2015). Honeybee linguistics - a comparative analysis of the waggle dance among species of *Apis*. *Frontiers in Ecology and Evolution*, 3, 43-53. [More Information]

Beekman, M., Makinson, J., Couvillon, M., Preece, K., Schaerf, T. (2015). Honeybee linguistics-a comparative analysis of the waggle dance among species of *Apis*. *Frontiers in Ecology and Evolution*, 3, 1-11. [More Information]

Reid, C., Garnier, S., Beekman, M., Latty, T. (2015). Information integration and multiattribute decision making in non-neuronal organisms. *Animal Behaviour*, 100, 44-50. [More

Information]

Chapman, N., Beekman, M., Allsopp, M., Rinderer, T., Lim, J., Oxley, P., Oldroyd, B. (2015). Inheritance of thelytoky in the honey bee *Apis mellifera capensis*. *Heredity*, 114(6), 584-592. [More Information]

Christie, J., Schaerf, T., Beekman, M. (2015). Selection against Heteroplasmy Explains the Evolution of Uniparental Inheritance of Mitochondria. *PLoS Genetics*, 11(4), 1-30. [More Information]

Latty, T., Beekman, M. (2015). Slime moulds use heuristics based on within-patch experience to decide when to leave. *Journal of Experimental Biology*, 218, 1175-1179. [More Information]

Goudie, F., Allsopp, M., Solignac, M., Beekman, M., Oldroyd, B. (2015). The frequency of arrhenotoky in the normally thelytokous *Apis mellifera capensis* worker and the Clone reproductive parasite. *Insectes Sociaux*, 62, 325-333. [More Information]

Oldroyd, B., Beekman, M. (2015). The XVIIth International Conference, Cairns Australia. *Insectes Sociaux*, 62(1), 3. [More Information]

2014

Oldroyd, B., Allsopp, M., Roth, K., Remnant, E., Drewell, R., Beekman, M. (2014). A parent-of-origin effect on honeybee worker ovary size. *Proceedings of the Royal Society B: Biological Sciences*, 281(1775), 1-7. [More Information]

Roth, K., Beekman, M., Allsopp, M., Goudie, F., Wossler, T., Oldroyd, B. (2014). Cheating workers with large activated ovaries avoid risky foraging. *Behavioral Ecology*, 25(3), 668-674. [More Information]

Makinson, J., Schaerf, T., Rattanawanee, A., Oldroyd, B., Beekman, M. (2014). Consensus building in giant Asian honeybee, *Apis dorsata*, swarms on the move. *Animal Behaviour*, 93, 191-199. [More Information]

Holmes, M., Tan, K., Wang, Z., Oldroyd, B., Beekman, M. (2014). Effect of queen excluders on ovary activation in workers of the Eastern honeybee *Apis cerana*. *Insectes Sociaux*, 61(2), 191-196. [More Information]

Yip, V., Beekman, M., Latty, T. (2014). Foraging strategies of the acellular slime moulds *Didymium iridis* and *Didymium bahiense*. *Fungal Ecology*, 11, 29-36. [More Information]

Preece, K., Beekman, M. (2014). Honeybee waggle dance error: adaption or constraint? Unravelling the complex dance language of honeybees. *Animal Behaviour*, 94, 19-26. [More Information]

Makinson, J., Beekman, M. (2014). Moving without a purpose: an experimental study of swarm guidance in the Western honey bee, *Apis mellifera*. *Journal of Experimental Biology*, 217(11),

2020-2027. [More Information]

Remnant, E., Koetz, A., Tan, K., Hinson, E., Beekman, M., Oldroyd, B. (2014). Reproductive interference between honeybee species in artificial sympatry. *Molecular Ecology*, 23(5), 1096-1107. [More Information]

Beekman, M., Dowling, D., Aanen, D. (2014). The costs of being male: are there sex-specific effects of uniparental mitochondrial inheritance? *Philosophical Transactions of the Royal Society B*, 369(1646), 1-7. [More Information]

Aanen, D., Spelbrink, J., Beekman, M. (2014). What cost mitochondria? The maintenance of functional mitochondrial DNA within and across generations. *Philosophical Transactions of the Royal Society B*, 369(2014), 1-8. [More Information]

Holmes, M., Tan, K., Wang, Z., Oldroyd, B., Beekman, M. (2014). Why acquiesce? Worker reproductive parasitism in the Eastern honeybee (*Apis cerana*). *Journal of Evolutionary Biology*, 27(5), 939-949. [More Information]

2013

Reid, C., Beekman, M., Latty, T., Dussutour, A. (2013). Amoeboid organism uses extracellular secretions to make smart foraging decisions. *Behavioral Ecology*, 24(4), 812-818. [More Information]

Holmes, M., Oldroyd, B., Duncan, M., Allsopp, M., Beekman, M. (2013). Cheaters sometimes prosper: targeted worker reproduction in honeybee (*Apis mellifera*) colonies during swarming. *Molecular Ecology*, 22(16), 4298-4306. [More Information]

Schaerf, T., Makinson, J., Myerscough, M., Beekman, M. (2013). Do small swarms have an advantage when house hunting? The effect of swarm size on nest-site selection by *Apis mellifera*. *Journal of the Royal Society Interface*, 10(87), 1-10. [More Information]

Holmes, M., Tan, K., Wang, Z., Oldroyd, B., Beekman, M. (2013). Honeybee (*Apis cerana*) guards do not discriminate between robbers and reproductive parasites. *Insectes Sociaux*, 60(2), 265-271. [More Information]

Latty, T., Beekman, M. (2013). Keeping track of changes: the performance of ant colonies in dynamic environments. *Animal Behaviour*, 85(3), 637-643. [More Information]

Reid, C., Beekman, M. (2013). Solving the Towers of Hanoi - How an amoeboid organism efficiently constructs transport networks. *Journal of Experimental Biology*, 216(9), 1546-1551. [More Information]

2012

Ramsch, K., Reid, C., Beekman, M., Middendorf, M. (2012). A mathematical model of foraging in a dynamic environment by

trail-laying Argentine ants. *Journal of Theoretical Biology*, 306, 32-45. [More Information]

Tan, K., Wang, Z., Yang, M., Fuchs, S., Luo, L., Zhang, Z., Li, H., Zhuang, D., Yang, S., Tautz, J., Beekman, M., Oldroyd, B. (2012). Asian hive bees, *Apis cerana*, modulate dance communication in response to nectar toxicity and demand. *Animal Behaviour*, 84(6), 1589-1594. [More Information]

Goudie, F., Allsopp, M., Beekman, M., Lim, J., Oldroyd, B. (2012). Heritability of worker ovariole number in the Cape honey bee *Apis mellifera capensis*. *Insectes Sociaux*, 59(3), 351-359. [More Information]

Granovskiy, B., Latty, T., Duncan, M., Sumpter, D., Beekman, M. (2012). How dancing honey bees keep track of changes: the role of inspector bees. *Behavioral Ecology*, 23(3), 588-596. [More Information]

Goudie, F., Allsopp, M., Beekman, M., Oxley, P., Lim, J., Oldroyd, B. (2012). Maintenance and loss of heterozygosity in a thelytokous lineage of honey bees (*Apis mellifera capensis*). *Evolution*, 66(6), 1897-1906. [More Information]

Reid, C., Latty, T., Beekman, M. (2012). Making a trail: informed Argentine ants lead colony to the best food by U-turning coupled with enhanced pheromone laying. *Animal Behaviour*, 84(6), 1579-1587. [More Information]

Beekman, M., Allsopp, M., Holmes, M., Lim, J., Noach-Pienaar, L., Wossler, T., Oldroyd, B. (2012). Racial mixing in South African honeybees: the effects of genotype mixing on reproductive traits of workers. *Behavioral Ecology and Sociobiology*, 66(6), 897-904. [More Information]

Beekman, M., Allsopp, M., Lim, J., Goudie, F., Oldroyd, B. (2012). Response to "Reproductive Biology of the Cape Honeybee: A Critique of Beekman et al." by Pirk et al. *Journal of Heredity*, 103(4), 614-615. [More Information]

Reid, C., Latty, T., Dussutour, A., Beekman, M. (2012). Slime mold uses an externalized spatial "memory" to navigate in complex environments. *Proceedings of the National Academy of Sciences of the United States of America*, 109(43), 17490-17494. [More Information]

Oldroyd, B., Allsopp, M., Lim, J., Beekman, M. (2011). A Thelytokous Lineage of Socially Parasitic Honey Bees has Retained Heterozygosity Despite at Least 10 Years of Inbreeding. *Evolution*, 65(3), 860-868. [More Information]

2011

Beekman, M., Allsopp, M., Lim, J., Goudie, F., Oldroyd, B. (2011). Asexually Produced Cape Honeybee Queens (*Apis mellifera capensis*) Reproduce Sexually. *Journal of Heredity*, 102(5), 562-566. [More Information]

Oldroyd, B., Allsopp, M., Lim, J., Beekman, M. (2011). A Thelytokous Lineage of Socially Parasitic Honey Bees has Retained Heterozygosity Despite at Least 10 Years of Inbreeding. *Evolution*, 65(3), 860-868. [More Information]

<http://dx.doi.org/10.1093/jhered/esr075>>[More Information]

Diwold, K., Schaerf, T., Myerscough, M., Middendorff, M., Beekman, M. (2011). Deciding on the wing: In-flight decision making and search space sampling in the red dwarf honeybee *Apis florea*. *Swarm Intelligence*, 5(2), 121-141. [More Information]

Schaerf, T., Myerscough, M., Makinson, J., Beekman, M. (2011). Inaccurate and unverified information in decision making: a model for the nest site selection process of *Apis florea*. *Animal Behaviour*, 82(5), 995-1013. [More Information]

Latty, T., Beekman, M. (2011). Irrational decision-making in an amoeboid organism: transitivity and context-dependent preferences. *Proceedings of the Royal Society B: Biological Sciences*, 278(1703), 307-312. [More Information]

Makinson, J., Oldroyd, B., Schaerf, T., Wattanachaiyingcharoen, W., Beekman, M. (2011). Moving home: nest-site selection in the Red Dwarf honeybee (*Apis florea*). *Behavioral Ecology and Sociobiology*, 65(5), 945-958. [More Information]

Boomsma, J., Beekman, M., Cornwallis, C., Griffin, A., Holman, L., Hughes, W., Keller, L., Oldroyd, B., Ratnieks, F. (2011). Only full-sibling Families Evolved Eusociality. *Nature*, 471(7339), e4-e5. [More Information]

Reid, C., Sumpter, D., Beekman, M. (2011). Optimisation in a natural system: Argentine ants solve the Towers of Hanoi. *Journal of Experimental Biology*, 214(1), 50-58. [More Information]

Latty, T., Beekman, M. (2011). Speed-accuracy trade-offs during foraging decisions in the acellular slime mould *Physarum polycephalum*. *Proceedings of the Royal Society B: Biological Sciences*, 278(1705), 539-545. [More Information]

Holmes, M., Allsopp, M., Noach-Pienaar, L., Wossler, T., Oldroyd, B., Beekman, M. (2011). Sperm utilization in honeybees (*Apis mellifera scutellata* and *A. m. capensis*) in South Africa. *Apidologie*, 42(1), 23-28. [More Information]

Latty, T., Ramsch, K., Ito, K., Nakagaki, T., Sumpter, D., Middendorff, M., Beekman, M. (2011). Structure and formation of ant transportation networks. *Journal of the Royal Society Interface*, 8(62), 1298-1306. [More Information]

Chen, T., Beekman, M., Ward, A. (2011). The role of female dominance hierarchies in the mating behaviour of mosquitofish. *Biology Letters*, 7(3), 343-345. [More Information]

2010

Dussutour, A., Latty, T., Beekman, M., Simpson, S. (2010). Amoeboid organism solves complex nutritional challenges. *Proceedings of the National Academy of Sciences of the United*

States of America, 107(10), 4607-4611. [More Information]

Diwold, K., Beekman, M., Middendorff, M. (2010). Bee Nest Site Selection as an Optimization Process. *Artificial Life XII*, Cambridge 2010: MIT Press.

Lo, N., Beekman, M., Oldroyd, B. (2010). Caste in Social Insects: Genetic Influences Over Caste Determination. In Breed, M. and Moore, J. (Eds.), *Encyclopedia of Animal Behavior*, (pp. 254-260). New York: Academic Press.

Latty, T., Beekman, M. (2010). Food quality and the risk of light exposure affect patch-choice decisions in the slime mold *Physarum polycephalum*. *Ecology*, 91(1), 22-27. [More Information]

Wongvilas, S., Higgs, J., Beekman, M., Wattanachaiyingcharoen, W., Deowanish, S., Oldroyd, B. (2010). Lack of interspecific parasitism between the dwarf honeybees *Apis andreniformis* and *Apis florea*. *Behavioral Ecology and Sociobiology*, 64, 1165-1170. [More Information]

Schaerf, T., Makinson, J., Myerscough, M., Beekman, M. (2010). Making a Decision in Spite of the Noise: Nest-Site Selection by *Apis Florea*. *XVI Congress of the International Union for the Study of Social Insects IUSSI 2010*, Denmark: International Union for the Study of Social Insects.

Holmes, M., Oldroyd, B., Allsopp, M., Lim, J., Wossler, T., Beekman, M. (2010). Maternity of emergency queens in the Cape honey bee, *Apis mellifera capensis*. *Molecular Ecology*, 19(13), 2792-2799. [More Information]

Allsopp, M., Beekman, M., Gloag, R., Oldroyd, B. (2010). Maternity of replacement queens in the thelytokous Cape honey bee *Apis mellifera capensis*. *Behavioral Ecology and Sociobiology*, 64, 567-574. [More Information]

Schwander, T., Lo, N., Beekman, M., Oldroyd, B., Keller, L. (2010). Nature versus nurture in social insect caste differentiation. *Trends in Ecology and Evolution*, 25(5), 275-282. [More Information]

Chapman, N., Beekman, M., Oldroyd, B. (2010). Worker reproductive parasitism and drift in the western honeybee *Apis mellifera*. *Behavioral Ecology and Sociobiology*, 64(3), 419-427. [More Information]

2009

Beekman, M., Allsopp, M., Jordan, L., Lim, J., Oldroyd, B. (2009). A quantitative study of worker reproduction in queenright colonies of the Cape honey bee, *Apis mellifera capensis*. *Molecular Ecology*, 18(12), 2722-2727. [More Information]

Latty, T., Beekman, M. (2009). Food quality affects search strategy in the acellular slime mould, *Physarum polycephalum*. *Behavioral Ecology*, 20(6), 1160-1167. [More Information]

Latty, T., Duncan, M., Beekman, M. (2009). High bee traffic disrupts transfer of directional information in flying honeybee

swarms. *Animal Behaviour*, 78(1), 117-121. [More Information]

Chapman, N., Makinson, J., Beekman, M., Oldroyd, B. (2009). Honeybee, *Apis mellifera*, guards use adaptive acceptance thresholds to limit worker reproductive parasitism. *Animal Behaviour*, 78(5), 1205-1211. [More Information]

Beekman, M., Dussutour, A. (2009). How to Tell Your Mates: Costs and Benefits of Different Recruitment Mechanisms. In Stefan Jarau, Michael Hrncir (Eds.), *Food Exploitation By Social Insects: Ecological, Behavioral, and Theoretical Approaches (Contemporary Topics in Entomology)*, (pp. 115-134). Boca Raton, Florida USA: CRC Press. [More Information]

Oldroyd, B., Beekman, M. (2009). Intergenerational reproductive parasitism in a stingless bee. *Molecular Ecology*, 18(19), 3958-3960. [More Information]

Dussutour, A., Beekman, M., Nicolis, S., Meyer, B. (2009). Noise improves collective decision-making by ants in dynamic environments. *Proceedings of the Royal Society B: Biological Sciences*, 276(1677), 4353-4361. [More Information]

Chapman, N., Nanork, P., Gloag, R., Wattanachaiyingcharoen, W., Beekman, M., Oldroyd, B. (2009). Queenless colonies of the Asian red dwarf honey bee (*Apis florea*) are infiltrated by workers from other queenless colonies. *Behavioral Ecology*, 20(4), 817-820. [More Information]

Chapman, N., Beekman, M., Oldroyd, B. (2009). Several workers lay eggs in the same brood cell in queenless honey bee (*Apis mellifera*) colonies. *Insectes Sociaux*, 56, 103-105. [More Information]

Dussutour, A., Nicolis, S., Shephard, G., Beekman, M., Sumpter, D. (2009). The role of multiple pheromones in food recruitment by ants. *Journal of Experimental Biology*, 212(15), 2337-2348. [More Information]

Chapman, N., Higgs, J., Wattanachaiyingcharoen, W., Beekman, M., Oldroyd, B. (2009). Worker reproductive parasitism in naturally orphaned colonies of the Asian red dwarf honey bee, *Apis florea*. *Insectes Sociaux*, 57(2), 163-167. [More Information]

2008

Hughes, W., Oldroyd, B., Beekman, M., Ratnieks, F. (2008). Ancestral monogamy shows kin selection is key to the evolution of eusociality. *Science*, 320(5880), 1213-1216. [More Information]

Beekman, M., Sword, G., Simpson, S. (2008). Biological foundations of swarm intelligence. In C Blum and D. Merkle (Eds.), *Swarm Intelligence - Introduction and applications*, (pp. 3-41). Berlin: Springer. [More Information]

Beekman, M., Gloag, R., Even, N., Wattanachaiyingcharoen, W., Oldroyd, B. (2008). Dance precision of *Apis florea* - clues

to the evolution of the honeybee dance language? *Behavioral Ecology and Sociobiology*, 62(8), 1259-1265. [More Information]

Oldroyd, B., Beekman, M. (2008). Effects of selection for honey bee worker reproduction on foraging traits. *PLoS Biology*, 6(3), 463-470. [More Information]

Beekman, M., Allsopp, M., Wossler, T., Oldroyd, B. (2008). Factors affecting the dynamics of the honey bee (*Apis mellifera*) hybrid zone in South Africa. *Heredity*, 100, 13-18. [More Information]

Beekman, M., Lew, J. (2008). Foraging in honeybees - when does it pay to dance? *Behavioral Ecology*, 19(2), 255-262. [More Information]

Jordan, L., Allsopp, M., Beekman, M., Wossler, T., Oldroyd, B. (2008). Inheritance of traits associated with reproductive potential in *Apis mellifera capensis* and *Apis mellifera scutellata* workers. *Journal of Heredity*, 99(4), 376-381. [More Information]

Gloag, R., Heard, T., Beekman, M., Oldroyd, B. (2008). Nest defence in a stingless bee: What causes fighting swarms in *Trigona carbonaria* (Hymenoptera, Meliponini)? *Insectes Sociaux*, 55, 387-391. [More Information]

Oldroyd, B., Gloag, R., Even, N., Wattanachaiyingcharoen, W., Beekman, M. (2008). Nest site selection in the open-nesting honeybee *Apis florea*. *Behavioral Ecology and Sociobiology*, 62(10), 1643-1653. [More Information]

Chapman, N., Nanork, P., Reddy, M., Bhat, N., Beekman, M., Oldroyd, B. (2008). Nestmate recognition by guards of the Asian hive bee *Apis cerana*. *Insectes Sociaux*, 55, 382-386. [More Information]

Meyer, B., Beekman, M., Dussutour, A. (2008). Noise-Induced Adaptive Decision-Making in Ant-Foraging. *From Animals to Animats 10: 10th International Conference on Simulation of Adaptive Behavior*, Germany: Springer. [More Information]

Oldroyd, B., Allsopp, M., Gloag, R., Lim, J., Jordan, L., Beekman, M. (2008). Thelytokous Parthenogenesis in Unmated Queen Honeybees (*Apis mellifera capensis*): Central Fusion and High Recombination Rates. *Genetics*, 180, 359-366. [More Information]

Beekman, M., Oldroyd, B. (2008). When workers disunite: Intra-specific parasitism in eusocial bees. *Annual Review of Entomology*, 53, 19-37. [More Information]

Beekman, M., Oldroyd, B. (2008). Who is the Queen's mother? Royal cheats in social insects. *Journal of Biosciences*, 32(2), 159-161. [More Information]

2007

Jordan, L., Allsopp, M., Oldroyd, B., Wossler, T., Beekman, M.

(2007). A scientific note on the drone flight time of *Apis mellifera capensis* and *A. m. scutellata*. *Apidologie*, 38(5), 436-437. [More Information]

Jordan, L., Allsopp, M., Oldroyd, B., Wossler, T., Beekman, M. (2007). Cheating honeybee workers produce royal offspring. *Proceedings of the Royal Society B: Biological Sciences*, 275(1632), 345-351. [More Information]

Beekman, M., Martin, S., Drijfhout, F., Oldroyd, B. (2007). Higher removal rate of eggs laid by anarchistic queens - a cost of anarchy? *Behavioral Ecology and Sociobiology*, 61(12), 1847-1853. [More Information]

Gloag, R., Beekman, M., Heard, T., Oldroyd, B. (2007). No worker reproduction in the Australian stingless bee *Trigona carbonaria* Smith (Hymenoptera, Apidae). *Insectes Sociaux*, 54(4), 412-417. [More Information]

Janson, S., Middendorf, M., Beekman, M. (2007). Searching for a new home - scouting behavior of honeybee swarms. *Behavioral Ecology*, 18(2), 384-392. [More Information]

Beekman, M., Gilchrist, A., Duncan, M., Sumpter, D. (2007). What makes a honeybee scout? *Behavioral Ecology and Sociobiology*, 61(7), 985-995. [More Information]

2006

Beekman, M., Peeters, C., O'Riain, J. (2006). Developmental divergence: neglected variable in understanding the evolution of reproductive skew in social animals. *Behavioral Ecology*, 17(4), 622-627. [More Information]

Oldroyd, B., Reddy, M., Chapman, N., Thompson, G., Beekman, M. (2006). Evidence for reproductive isolation between two colour morphs of cavity nesting honey bees (*Apis*) in south India. *Insectes Sociaux*, 53(4), 428-434. [More Information]

Beekman, M., Fathke, R., Seeley, T. (2006). How does an informed minority of scouts guide a honeybee swarm as it flies to its new home? *Animal Behaviour*, 71(1), 161-171. [More Information]

Janson, S., Middendorf, M., Beekman, M. (2006). Searching for a new home-scouting behavior of honeybee swarms. *Behavioral Ecology*, Published online (doi:10.1093/beheco/arl095), 1-8. [More Information]

van Baalen, M., Beekman, M. (2006). The costs and benefits of genetic heterogeneity in resistance against parasites in social insects. *The American Naturalist*, 167(4), 568-577. [More Information]

2005

Janson, S., Middendorf, M., Beekman, M. (2005). Honeybee swarms: how do scouts guide a swarm of uninformed bees? *Animal Behaviour*, 70(2), 349-358. [More Information]

Information]

Beekman, M., Oldroyd, B. (2005). Honeybee workers use cues other than egg viability for policing. *Biology Letters*, 1(2), 129-132. [More Information]

Beekman, M. (2005). How long will honey bees (*Apis mellifera* L.) be stimulated by scent to revisit past-profitable forage sites? *Journal of Comparative Physiology A: Neuroethology Sensory Neural and Behavioral Physiology*, 191(12), 1115-1120.

Beekman, M., Doyen, L., Oldroyd, B. (2005). Increase in dance imprecision with decreasing foraging distance in the honey bee *Apis mellifera* L. is partly explained by physical constraints. *Journal of Comparative Physiology A: Neuroethology Sensory Neural and Behavioral Physiology*, 191(12), 1107-1113. [More Information]

Jones, J., Helliwell, P., Beekman, M., Maleszka, R., Oldroyd, B. (2005). The effects of rearing temperature on developmental stability and learning and memory in the honey bee, *Apis mellifera*. *Journal of Comparative Physiology A: Neuroethology Sensory Neural and Behavioral Physiology*, 191(12), 1121-1129.

2004

Beekman, M. (2004). Busy Buzzers. *Trends in Ecology and Evolution*, 19(2), 65-66.

Beekman, M., Sumpter, D., Seraphides, N., Ratnieks, F. (2004). Comparing Foraging Behaviour Of Small And Large Honey Bee Colonies By Decoding Waggle Dances Made By Foragers. *Functional Ecology*, 18(6), 829-835. [More Information]

Martin, C., Oldroyd, B., Beekman, M. (2004). Differential Reproductive Success Among Subfamilies In Queenless Honeybee (*Apis Mellifera* L.) Colonies. *Behavioral Ecology and Sociobiology*, 56(1), 42-49. [More Information]

Beekman, M. (2004). Is Her Majesty At Home? *Trends in Ecology and Evolution*, 19, 505-506. [More Information]

Beekman, M., Martin, C., Oldroyd, B. (2004). Similar Policing Rates Of Eggs Laid By Virgin And Mated Honey-Bee Queens. *Science of Nature*, 91(12), 598-601. [More Information]

Beekman, M., Wilkinson, I. (2004). What can Social Insects Teach Us About Marketing? *Australian and New Zealand Marketing Academy Conference ANZMAC 2004*, New Zealand: Australian and New Zealand Marketing Academy (ANZMAC).

2003

Beekman, M., Oldroyd, B. (2003). Different policing rates of eggs laid by queenright and queenless anarchistic honey-bee workers. *Behavioral Ecology and Sociobiology*, 54(5), 480-484. [More Information]

Beekman, M., Oldroyd, B. (2003). Effects of cross-feeding anarchistic and wild type honey bees: anarchistic workers are not queen-like. *Science of Nature*, 90(4), 189-192.

Sumpter, D., Beekman, M. (2003). From nonlinearity to optimality: Pheromone trail foraging by ants. *Animal Behaviour*, 66(2), 273-280. [More Information]

<http://dx.doi.org/10.1006/anbe.2003.2224>>[More Information]

Beekman, M., Ratnieks, F. (2003). Power over reproduction in social Hymenoptera. *Philosophical Transactions of the Royal Society B*, 358(1438), 1741-1753. [More Information]

Beekman, M., Komdeur, J., Ratnieks, F. (2003). Reproductive conflicts in social animals: who has power? *Trends in Ecology and Evolution*, 18(6), 277-282. [More Information]

Beekman, M., Oldroyd, B., Myerscough, M. (2003). Sticking to their choice - honey bee subfamilies abandon declining food sources at a slow but uniform rate. *Ecological Entomology*, 28(2), 233-238. [More Information]

2002

Beekman, M., Good, G., Allsopp, M., Radloff, S., Pirk, C., Ratnieks, F. (2002). A non-policing honey bee colony (*Apis mellifera capensis*). *Science of Nature*, 89(10), 479-482. [More Information]

Calis, J., Boot, W., Allsopp, M., Beekman, M. (2002). Getting more than a fair share: nutrition of worker larvae related to social parasitism in the Cape honey bee *Apis mellifera capensis*. *Apidologie*, 33(2), 193-202.

Beekman, M., Wossler, T., Martin, S., Ratnieks, F. (2002). Parasitic Cape honey bee workers (*Apis mellifera capensis*) are not given differential treatment by African guards (*A. m. scutellata*). *Insectes Sociaux*, 49(3), 216-220. [More Information]

Martin, S., Beekman, M., Wossler, T., Ratnieks, F. (2002). Parasitic Cape honeybee workers, *Apis mellifera capensis*, evade policing. *Nature*, 415(2), 163-165. [More Information]

Beekman, M., Calis, J., Oldroyd, B., Ratnieks, F. (2002). When do honey bee guards reject their former nestmates after swarming? *Insectes Sociaux*, 49(1), 56-61. [More Information]

2001

Beekman, M., Sumpter, D., Ratnieks, F. (2001). Phase transition between disordered and ordered foraging in Pharaohs' ants. *Proceedings of the National Academy of Sciences of the United States of America*, 98(17), 9703-9706. [More Information]